

Example

Attribute Wheels And Palette Windows

by:	Alex del Bondio
published:	November 2018
description:	Changes the attribute wheels and opens the corresponding palette window
remarks:	

adb.attributewheelsandpalettes.xml

[palette](#), [window](#), [wheel](#), [attribute](#)

Every button of those highlighted in the groups window in the picture basically does the following things: - open a window (mostly palette but also the attribute editor or shape library) - sets the right page in the window (like in the Gobos and Beams window in the picture) - set the wheels to the corresponding attribute (it also cycles the attributes when there are more than 3 like the attribute bank button does to)



The code below is an example for one attribute type (Position). The file contains macros for all attribute types.

functions

- [Windows.SetWindowProperty.X](#)
- [Windows.SetWindowProperty.Y](#)
- [Windows.SetWindowProperty.Width](#)
- [Windows.SetWindowProperty.Height](#)
- [Windows.Scrolling.Vertical.Scroll](#)

affected properties

- [Windows.windowId.ButtonSize](#)
- [Windows.windowId.TextSize](#)
- [Windows.windowId.FixedColumns](#)
- [Windows.windowId.FixedRows](#)
- [Windows.windowId.Pages](#)
- [Windows.windowId.CurrentPage](#)

Code

[attributewheelsandbuttons.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros>
  <macro id="adb.Macros.POS" name="Position">
    <sequence>
<step>Menu.InjectInput("OnSelect","AttributeGroup","NoGroup",2)</step>
      <step pause="0.001">
        <menuLink id="Windows.Positions" stack="mainWindowStack"
behaviour="PushOrRaise" maximised="True" regionId="secondary" />
        </step>
        <step>Windows.SetWindowProperty.X("Windows.Positions", 0)</step>
        <step>Windows.SetWindowProperty.Y("Windows.Positions", 1)</step>
        <step>Windows.SetWindowProperty.Width("Windows.Positions",
2)</step>
        <step>Windows.SetWindowProperty.Height("Windows.Positions",
1)</step>
        <step>ActionScript.SetProperty.Enum("Windows.Positions.ButtonSize",
"Fixed")</step>
        <step>ActionScript.SetProperty.Enum("Windows.Positions.TextSize",
"Global")</step>
        <step>ActionScript.SetProperty.Integer("Windows.Positions.FixedColumns"
, 12)</step>
        <step>ActionScript.SetProperty.Integer("Windows.Positions.FixedRows",
5)</step>
        <step>ActionScript.SetProperty.Boolean("Windows.Positions.Pages",
true)</step>
        <step>ActionScript.SetProperty.Integer("Windows.Positions.CurrentPage",
0)</step>
        <step>Windows.Scrolling.Vertical.Scroll(-100000)</step>
      </sequence>
    </macro>
  </avolites.macros>
```

Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

Set Times

- `Menu.InjectInput("OnSelect","AttributeGroup","NoGroup",2)` selects the attribute on the wheels (1=Intensity, 2=Position, 4=Colour, 8=Gobo, 16=Beam, 32=Effects,

64=Special, 128=Shapes)

- `<menuLink id="Windows.Positions" stack="mainWindowStack" behaviour="PushOrRaise" maximised="True" regionId="secondary" />` opens the positions palette window
- `Windows.SetWindowProperty` is used to define position and size of the palette window
- `ActionScript.SetProperty.x()` is used to set other window properties

How to use it

- [make this macro available](#)

From:

<https://www.avosupport.de/wiki/> - AVOSUPPORT

Permanent link:

<https://www.avosupport.de/wiki/macros/example/attributewheelsandpalettes?rev=1542189062>

Last update: **2018/11/14 09:51**

