

Example

Release - Master Release Time

by:	Alex del Bondio
published:	January 2019
description:	set master release time
remarks:	

adb_master_release_time.xml

[master](#), [release](#), [time](#)

This selection of macros lets you change the master release time. These macros have [Active Binding](#) set so they will highlight and give visual feedback.

The code below is a snippet of the whole file which contains macros for various release times (the same times you will find for palette fade).

affected properties

- [Playbacks.MasterReleaseTime](#)

Code

[releasetime.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="Avolites.Menus.xsd">

    <macro id="adb.Macros.Releasetime4" name="adb Master Release Time
5s">
        <active binding="{propertyLink id='Playbacks.MasterReleaseTime'
converter='Playbacks.Editor.Times.TimeEqualityConverter'
converterParameter='5'}"/>
        <sequence>
            <step>ActionScript.SetProperty("Playbacks.MasterReleaseTime",
time:5)</step>
        </sequence>
    </macro>

</avolites.macros>
```

Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

- `Playbacks.MasterReleaseTime` is the property that defines the master release time and needs to be set via `ActionScript.SetProperty`
- `active binding` is used to highlight a macro when the corresponding property (`propertyLink id`) matches the `converterParameter`. A good starting point to understand active binding is either this wiki or this post in the Avo forum <http://forum.avolites.com/viewtopic.php?f=20&t=5962>

How to use it

- [make this macro available](#)

From:
<https://www.avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:
<https://www.avosupport.de/wiki/macros/example/masterreleasetime?rev=1546649694>

Last update: **2019/01/05 00:54**

