

Example

# Set Release Priority

<b>by:</b>	Sebastian Beutel
<b>published:</b>	December 2017
<b>description:</b>	sets release priority
<b>remarks:</b>	idea see <a href="https://www.facebook.com/groups/1811437589141428/permalink/2027076607577524/">https://www.facebook.com/groups/1811437589141428/permalink/2027076607577524/</a> release, priority

## functions

- [ActionScript.SetProperty.Enum](#)

## affected properties

- [Playbacks.ReleasePriority](#)

**Note that the syntax is slightly different from the API documentation. This macro has been successfully tested in Titan 10.1.**

## Code

[setreleasepriority.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="Avolites.Menus.xsd">

  <macro id="Avolites.Macros.Release.Low" name="Release Priority Low">
    <sequence>
      <step
pause="0.01">ActionScript.SetProperty.Enum("Playbacks.ReleasePriority",
"LowPriority")</step>
    </sequence>
  </macro>

  <macro id="Avolites.Macros.Release.Medium" name="Release Priority
Medium">
    <sequence>
      <step
pause="0.01">ActionScript.SetProperty.Enum("Playbacks.ReleasePriority",
"MediumPriority")</step>
    </sequence>
  </macro>
```

```
<macro id="Avolites.Macros.Release.High" name="Release Priority High">
  <sequence>
    <step
pause="0.01">ActionScript.SetProperty.Enum("Playbacks.ReleasePriority",
"HighPriority")</step>
  </sequence>
</macro>

<macro id="Avolites.Macros.Release.Programmer" name="Release Priority Programmer">
  <sequence>
    <step
pause="0.01">ActionScript.SetProperty.Enum("Playbacks.ReleasePriority",
"ProgrammerPriority")</step>
  </sequence>
</macro>

<macro id="Avolites.Macros.Release.Max" name="Release Priority Very High">
  <sequence>
    <step
pause="0.01">ActionScript.SetProperty.Enum("Playbacks.ReleasePriority",
"MaximumPriority")</step>
  </sequence>
</macro>
</avolites.macros>
```

## Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

These macros set the release setting/user setting Release Priority which can either be set by clicking <Release> and toggling [Release Priority], or by setting the user setting.

## How to use it

- [make this macro available](#)
- fire one of the macros to set the release priority as intended

From:  
<https://www.avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:  
<https://www.avosupport.de/wiki/macros/example/setreleasepriority?rev=1538641479>

Last update: **2018/10/04 08:24**

