

Example

# Stopwatch/Flash Playback

<b>by:</b>	Sebastian Beutel, March 2020
<b>published:</b>	here
<b>description:</b>	flashes a playback and stopwatches the time this is activated
<b>remarks:</b>	idea: <a href="https://www.facebook.com/groups/1811437589141428/permalink/2606214156330430/">https://www.facebook.com/groups/1811437589141428/permalink/2606214156330430/</a> use this to stopwatch the time a CO2 jet is activated see also <a href="#">Timecode - Start/Stop</a>

[timecode](#), [start](#), [stop](#), [stopwatch](#), [flash](#)

## functions

- [Playbacks.FlashPlayback](#)
- [Timecode.TimecodeOne.Play](#)
- [Playbacks.ClearFlashPlayback](#)
- [Timecode.TimecodeOne.Pause](#)

## Code

[stopwatchflash.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>

<!-- flash playback 1 while being held and use timecode 1 as stopwatch
-->

<avolites.macros>
  <macro id="wiki.Macros.timecode.one.stopwatchflash" name="Stopwatch
Timecode 1 with PB900 flash">
    <description>Stopwatch Timecode 1 with PB900 flash</description>
    <start>
      <step>Playbacks.FlashPlayback("cueHandleUN=900")</step>
      <step>Timecode.TimecodeOne.Play()</step>
    </start>
    <end>
      <step>Playbacks.ClearFlashPlayback("cueHandleUN=900")</step>
      <step>Timecode.TimecodeOne.Pause()</step>
    </end>
  </macro>
</avolites.macros>
```

## Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

This macro sports separate actions when being clicked/pressed and when being released.

When the macro button/key is pressed the <start> sequence is performed:

- `Playbacks.FlashPlayback("cueHandleUN=900")` flashes a particular playback
- `Timecode.TimecodeOne.Play()` makes a particular timecode run

When the macro button/key is released the <end> sequence is performed:

- `Playbacks.ClearFlashPlayback("cueHandleUN=900")` un-flashes the playback which was previously flashed
- `Timecode.TimecodeOne.Pause()` pauses the timecode

## How to use it

- [make this macro available](#). It is advisable to copy or move it to a hardware button (executor)
- record a playback with the action you want to stopwatch, e.g. with your CO2 jet @ 100%. Give this playback the user number 900.
- you can even unassign this playback, or move it to a page which is safe from being hit by accident

Now, while this macro is activated, the timecode runs and the playback is being flashed.

Further hints:

- this can only be some measure for you. Please don't use this for any items which are safety-relevant
- the internal timecode can easily be reset. Please make sure this particular timecode is only used for this stopwatch thing (you might change `Timecode.TimecodeOne` for e.g. `Timecode.TimecodeFour` in order to use another timecode). Also make sure the timecode you use is set to be internal as play/pause will not work on all timecode sources or will have unexpected results.

From:  
<https://www.avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:  
<https://www.avosupport.de/wiki/macros/example/stopwatchflash?rev=1584874738>

Last update: **2020/03/22 10:58**

