

# Enable/Disable Timecode

<b>by:</b>	Gregory Haynes, Mar. 2016
<b>published:</b>	<a href="http://forum.avolites.com/viewtopic.php?f=20&amp;t=4416">http://forum.avolites.com/viewtopic.php?f=20&amp;t=4416</a>
<b>description:</b>	Enable/disable/toggle timecode input
<b>remarks:</b>	These macros are now factory default macros, and are shown here for documentation.

## functions

- [ActionScript.SetProperty.Boolean](#)
- [Timecode.SetEnabled](#)

## affected properties

- [Timecode.Enabled](#)

## control structures

- [simple toggle logic](#) (with aux property and if/else)

## Code

[TimecodeMacros.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros>
  <macro id="Avolites.Macros.Timecode.Enable" name="Enable Timecode">
    <description>Enable Timecode timer.</description>
    <sequence>
      <step>ActionScript.SetProperty.Boolean("Timecode.Enabled",
true)</step>
      <step>Timecode.SetEnabled(Timecode.Enabled)</step>
    </sequence>
  </macro>
  <macro id="Avolites.Macros.Timecode.Disable" name="Disable Timecode">
    <description>Disable Timecode timer.</description>
    <sequence>
      <step>ActionScript.SetProperty.Boolean("Timecode.Enabled",
false)</step>
      <step>Timecode.SetEnabled(Timecode.Enabled)</step>
    </sequence>
  </macro>
  <macro id="Avolites.Macros.Timecode.Toggle" name="Toggle Timecode">
    <description>Toggle Timecode timer.</description>
    <sequence>
      <step>ActionScript.SetProperty.Boolean("Timecode.Enabled",
```

```
!Timecode.Enabled)</step>  
  <step>Timecode.SetEnabled(Timecode.Enabled)</step>  
</sequence>  
</macro>  
</avolites.macros>
```

## Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

tbd

## How to use it

1. [make this macro available](#)

tbd ###

From:

<https://www.avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:

<https://www.avosupport.de/wiki/macros/example/timecodeonoff?rev=1511096715>

Last update: **2017/11/19 13:05**

