

Function

# Attribute.Mask.IncludeAll

```
Void Attribute.Mask.IncludeAll(String maskId)
```

<b>API</b>	<a href="http://api.avolites.com/11.0/Attribute.Mask.IncludeAll.html">http://api.avolites.com/11.0/Attribute.Mask.IncludeAll.html</a>
<b>description</b>	Set a mask to include all.
<b>namespace</b>	<a href="#">Attribute.Mask</a>
<b>parameter</b>	maskId ( <a href="#">String</a> ) : Id of the mask Possible values: Record, TempRelease, Update, Patch, Clear, EditTimes, Include, Locate, Align, OnOffPlayback
<b>return value</b>	<a href="#">Void</a>

## Example in

[PaletteChaseChanger \(V3\)](#):

Maybe this is faulty as there is no such attribute mask.

```
<step>Attribute.Mask.IncludeAll("Palette")</step>
```

## Also used in

- [PaletteChaseChanger \(V3\)](#)
- [Function list](#)

## Remarks

From:  
<https://www.avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:  
<https://www.avosupport.de/wiki/macros/function/attribute.mask.includeall?rev=1529952425>

Last update: **2018/06/25 18:47**

