

Function

# Masters.ResetSpeedMultiplier

Void Masters.ResetSpeedMultiplier(Handle handle)

<b>API</b>	<a href="http://api.avolites.com/10.1/Masters.ResetSpeedMultiplier.html">http://api.avolites.com/10.1/Masters.ResetSpeedMultiplier.html</a>
<b>description</b>	Resets the bpm master's speed multiplier.
<b>namespace</b>	Masters
<b>parameter</b>	handle ( <a href="#">handle</a> ) : The master handle. See below for fixed IDs.
<b>return value</b>	Void

This is based on the [fixed Titan IDs](#) which we found exactly for these macros:

- BPM Master 1 ⇒ ID 1607
- BPM Master 2 ⇒ ID 1611
- BPM Master 3 ⇒ ID 1615
- BPM Master 4 ⇒ ID 1619

## Example in

[Masters - BPM Master \(snippet\)](#):

```
<macro id="Avolites.Macros.BPM1*1" name="adb_BPM1 *1">
  <sequence>
    <step>Masters.ResetSpeedMultiplier(1607)</step>
  </sequence>
</macro>
```

## Also used in

- [Masters - BPM Master \(snippet\)](#)
- [Function list](#)

## Remarks

From: <https://www.avosupport.de/wiki/> - AVOSUPPORT

Permanent link: <https://www.avosupport.de/wiki/macros/function/masters.resetspeedmultiplier?rev=1517137796>

Last update: 2018/01/28 11:09

