

Function

Playbacks.FillCueLegend

Void Playbacks.FillCueLegend(Handle handle, Single cueNumber, String propertyId)

| | |
|---------------------|---|
| API | http://api.avolites.com/11.0/Playbacks.FillCueLegend.html |
| description | Gets the legend of a cue and puts it in a property. |
| namespace | Playbacks |
| parameter | handle (Handle) : The handle of the cuelist or chase. |
| | cueNumber (Single) : The cue number. |
| | propertyId (String) : The id of the property the legend shall be assigned to. |
| return value | Void |

Example in

[Legend - Get a cuelist cue's legend:](#)

```
<step>Playbacks.FillCueLegend(
    Handles.GetHandle("PlaybackWindow",0,76),
    Math.Cast.ToSingle(CueLists.LiveCueNumber),
    "Handles.PendingLegend"
)</step>
```

This gets the legend of the current cue of the cuelist in page 1 slot 77 of the Playbacks window and puts it in the property 'Handles.PendingLegend' for future use.

Also used in

- [Legend - Get a cuelist cue's legend](#)

Remarks

From: <https://www.avosupport.de/wiki/> - AVOSUPPORT

Permanent link: <https://www.avosupport.de/wiki/macros/function/playbacks.fillcuelegend?rev=1536424275>

Last update: 2018/09/08 16:31

