

Function

# Playbacks.SetPlaybackLevel

Single `Playbacks.SetPlaybackLevel(Handle srcHandle, LevelAdjust level)`

<b>API</b>	<a href="https://api.avolites.com/12.0/Playbacks.SetPlaybackLevel.html">https://api.avolites.com/12.0/Playbacks.SetPlaybackLevel.html</a>
<b>description</b>	Sets the level of a playback.
<b>namespace</b>	Playbacks
<b>parameter</b>	srcHandle ( <a href="#">Handle</a> ) : The playback handle. level ( <a href="#">Leveladjust</a> ) : The level.
<b>return value</b>	<a href="#">Single</a> tba - the API states that this returns a single but I have no idea what this value might be useful for.

### Example in

[Cuelist - Set Me At Full](#):

```
<step>Playbacks.SetPlaybackLevel(this, level:1)</step>
```

In this cuelist macro this refers to the cuelist which is set to full with level : 1.

### Also used in

- [Cuelist - Set Me At Full](#)

### Remarks

From: <https://www.avosupport.de/wiki/> - AVOSUPPORT

Permanent link: <https://www.avosupport.de/wiki/macros/function/playbacks.setplaybacklevel?rev=1585412997>

Last update: 2020/03/28 16:29

