

Function

# Timecode.MakeTimecodeTime

```
TimecodeTime Timecode.MakeTimecodeTime(  
    Int32 hours, Int32 minutes, Int32 seconds, Int32 frames, Boolean disabled,  
    Object frameRate  
)
```

<b>API</b>	<a href="https://api.avolites.com/12.0/Timecode.MakeTimecodeTime.html">https://api.avolites.com/12.0/Timecode.MakeTimecodeTime.html</a>
<b>description</b>	Create a timecode time value from the specified parameters.
<b>namespace</b>	Timecode
<b>parameter</b>	hours ( <a href="#">Int32</a> ) : the hours value
	minutes ( <a href="#">Int32</a> ) : the minutes value
	seconds ( <a href="#">Int32</a> ) : the seconds value
	frames ( <a href="#">Int32</a> ) : the frames value
	disabled ( <a href="#">Boolean</a> ) : if set to true mark the time as disabled.
frameRate ( <a href="#">FrameRate</a> ) : the frame rate value	
<b>return value</b>	<a href="#">TimecodeTime</a>

## Example in

[Timecode - Winamp Tracks](#):

```
<step  
pause="0.05">Timecode.TimecodeTwo.SetStartTime(Timecode.MakeTimecodeTime(1,  
00, 00, 00, false, 100))</step>
```

Creates a [TimecodeTime](#) object and passes this to [Timecode.TimecodeTwo.SetStartTime](#)

## Also used in

- [Timecode - Set Start Time](#)
- [Timecode - Set Start Time from Palette Fade](#)
- [Timecode - Winamp Tracks](#)
- [FrameRate](#)
- [TimecodeTime](#)

## Remarks

From:  
<https://www.avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:  
<https://www.avosupport.de/wiki/macros/function/timecode.maketimecodetime>



Last update: **2020/03/29 12:37**