

Function

# Timecode.ParseFrameRate

AcwFrameRate Timecode.ParseFrameRate(Object frameRate)

<b>API</b>	<a href="https://api.avolites.com/16.0/api/Timecode.ParseFrameRate.html">https://api.avolites.com/16.0/api/Timecode.ParseFrameRate.html</a>
<b>description</b>	Parses the frame rate from the specified string or integer value.
<b>namespace</b>	Timecode
<b>parameter</b>	frameRate ( <a href="#">Object</a> ) : frameRate - the description implies that it can be an integer or a string
<b>return value</b>	<a href="#">AcwFrameRate</a>

Example in

[Timeline: Import Markers:](#)

```
<step>Timelines.ImportMarkersFromString(  
  Handles.GetTitanIdFromHandle("timelineHandleUN=1"),  
  "&lt;Version /&gt;",  
  "C:\Users\sb\Documents\Titan\Markers\test.csv",  
  Timecode.ParseFrameRate(100))  
</step>
```

Also used in

- [Timeline: Import Markers](#)
- [Timelines.ImportMarkersFromString](#)

Remarks

From:  
<https://www.avosupport.de/wiki/> - AVOSUPPORT

Permanent link:  
<https://www.avosupport.de/wiki/macros/function/timecode.parseframerate?rev=1680525203>

Last update: 2023/04/03 12:33

