

Function list

This is a list of the functions which are used in the examples resp. explained in this wiki. A full - but sparsely documented - list of functions is available at <http://api.avolites.com/>.

A

- [ActionScript.SetProperty](#)
- [ActionScript.SetProperty.Boolean](#)
- [ActionScript.SetProperty.Double](#)
- [ActionScript.SetProperty.Enum](#)
- [ActionScript.SetProperty.Float](#)
- [ActionScript.SetProperty.Integer](#)
- [ActionScript.SetProperty.SetFlag](#)
- [ActionScript.SetProperty.String](#)
- [AlignSelection.SelectFixture](#)
- [Attribute.Mask.IncludeAll](#)
- [Attribute.Mask.SetMask](#)

C

- [Command.RunCommand](#)
- [ConnectedPlayback.Connect](#)
- [CueLists.GoBack](#)
- [CueLists.Play](#)
- [CueLists.SetNextCue](#)

D

- [Dmx.EnableDmxModule](#)

E

- [Editor.Shapes.ConnectShapesList](#)
- [Editor.Shapes.ProgrammerShapesList](#)
- [Editor.Shapes.Reverse](#)
- [Editor.Shapes.SelectAllShapes](#)
- [Editor.Shapes.SetCurrentShapesDirection](#)

G

- [Group.CheckIfGroupExists](#)
- [Group.FlashFader](#)
- [Group.QuickCreateGroup](#)
- [Group.RecallGroup](#)
- [Group.RecallGroupNumeric](#)
- [Group.ReplaceGroupOnHandle](#)
- [Group.ResetAllMasters](#)
- [Group.SetGroupFaderLevel](#)
- [Group.StoreGroup](#)

H

- [Handles.ClearHandleOptionsFilter](#)
- [Handles.ClearHighlight](#)
- [Handles.ClearSelection](#)
- [Handles.ConfirmDelete](#)
- [Handles.CopyDestination](#)
- [Handles.CreateHandleReference](#)
- [Handles.FilterHandleOptions](#)
- [Handles.GetHandle](#)
- [Handles.GetIconId](#)
- [Handles.GetTitanIdFromHandle](#)
- [Handles.HighlightHandle](#)
- [Handles.IsClaimed](#)
- [Handles.Macros.ChangePage](#)
- [Handles.Macros.NextPage](#)
- [Handles.Macros.PreviousPage](#)
- [Handles.MobileWingAExecutor.ChangePage](#)
- [Handles.MobileWingAPlaybacks.ChangePage](#)
- [Handles.MobileWingAPlaybacks.NextPage](#)
- [Handles.MobileWingAPlaybacks.PreviousPage](#)
- [Handles.Playbacks.ChangePage](#)
- [Handles.Playbacks.NextPage](#)
- [Handles.Playbacks.PreviousPage](#)
- [Handles.PlaybackWindow.ChangePage](#)

- [Handles.RemoveHalo](#)
- [Handles.SapphireWingABottom.ChangePage](#)
- [Handles.SapphireWingATop.ChangePage](#)
- [Handles.SapphireWingBBottom.ChangePage](#)
- [Handles.SapphireWingBTop.ChangePage](#)
- [Handles.SetGroupPage](#)
- [Handles.SetGroupPageName](#)
- [Handles.SetIcon](#)
- [Handles.SetLegend](#)
- [Handles.SetLockState](#)
- [Handles.SetPendingHaloToSystemColour](#)
- [Handles.SetSourceHandle](#)
- [Handles.SetSourceHandleFromHandle](#)

H cont.

- [Handles.SetSourceHandlerRange](#)
- [Handles.SetSourceHandlerRangeFromHandles](#)
- [Handles.SetUserNumber](#)
- [Handles.StaticPlaybacks.ChangePage](#)
- [Handles.Workspaces.ChangePage](#)

I

- [Icons.StoreIcon](#)
- [Include.SelectPlayback](#)
- [Include.SelectPlaybackHandle](#)

M

- [Masters.ClearFlash](#)
- [Masters.DeadBlackOut](#)
- [Masters.DoubleOrHalfSpeedMultiplier](#)
- [Masters.NudgeDown](#)
- [Masters.NudgeUp](#)
- [Masters.ResetAllMasters](#)
- [Masters.ResetSpeedMultiplier](#)
- [Masters.SetMaster](#)
- [Masters.SetSpeed](#)

- [Masters.TapTempo](#)
- [Math.Cast.ToInteger](#)
- [Math.Cast.ToSingle](#)
- [Math.EnumAsStringEquality Converter](#)
- [Math.EqualityConverter](#)
- [Math.GetCurrentTimeStamp](#)
- [Math.IsEqual](#)
- [Math.Min](#)
- [Math.ToEnum](#)
- [Math.ToString](#)
- [Menu.ErrorReport](#)
- [Menu.InjectInput](#)
- [Menu.PushOrReloadMenu](#)
- [Menu.Stack.PushOrReloadMenu](#)

P

- [Palette.ApplyPalette](#)
- [Palette.ApplyQuickPalette](#)
- [Palette.MergeCurrentPalette](#)
- [Palette.QuickMergePalette](#)
- [Palette.StoreCurrentPalette Replace](#)
- [Panel.Midi.NoteOff](#)
- [Panel.Midi.NoteOn](#)
- [Panel.Midi.Send](#)
- [PanelManager.SetScreenState](#)
- [Patch.Repatch.ParkSelected Fixtures](#)
- [Patch.Repatch.RepatchSelectedFixtures](#)
- [Patch.Repatch.SelectDimmerAddress](#)
- [Patch.Repatch.SetDmxAddressesFromSelectedFixture](#)
- [Patch.Repatch.UnParkSelectedFixtures](#)
- [Patch.SetCurrentDmxAssignment](#)
- [PioneerDJ.SetBPMTriggersEnabled](#)
- [PlaybackGroups.AddPlaybacksToGroup](#)
- [PlaybackGroups.CreatePlaybackGroupWithPlaybacks](#)
- [PlaybackGroups.SetCurrentPlaybackGroupFromUserNumber](#)

- `Playbacks.AppendOrInsertPlaybackStep`
- `Playbacks.ClearFlashPlayback`
- `Playbacks.CueList.CreateCueList`
- `Playbacks.Editor.CueSelection.SelectAll`
- `Playbacks.Editor.CueSelection.SelectCueByNumber`
- `Playbacks.Editor.EnsurePlaybackCueSelected`
- `Playbacks.Editor.Macros.SetTargetHandle`
- `Playbacks.Editor.SelectLiveCue`
- `Playbacks.FillCueLegend`
- `Playbacks.FilterByPlaybackHandle`
- `Playbacks.FirePlaybackAtLevel`
- `Playbacks.FlashPlayback`
- `Playbacks.IsCueHandle`
- `Playbacks.MergePlaybackCue`
- `Playbacks.PlaybackEdit.Exit`
- `Playbacks.ReleaseAllPlaybacksByPriority`

P cont.

- `Playbacks.ReleasePlayback`
- `Playbacks.Select.EditHandle`
- `Playbacks.SetCueLegend`
- `Playbacks.SetPlaybackLevel`
- `Playbacks.StoreCue`
- `Playbacks.Timecode.ToggleEnabled.Handle`
- `Playbacks.ToggleBlindPlayback`
- `Profiles.AssignHandleProfile`
- `Profiles.GetHandleProfileId`
- `Programmer.Editor.Clear`
- `Programmer.Editor.ClearAll`
- `Programmer.Editor.Fixtures.Align`
- `Programmer.Editor.Fixtures.ClearFlash`
- `Programmer.Editor.Fixtures.Fan.SelectCurve`
- `Programmer.Editor.Fixtures`

- .FlashOn
- Programmer.Editor.Fixtures .FlashOut
- Programmer.Editor.Fixtures .GetControllIdFromName
- Programmer.Editor.Fixtures .OnOffAttributeSelected
- Programmer.Editor.Fixtures .OnOffFixtureControls
- Programmer.Editor.Fixtures .Patch.FreezeFixtures
- Programmer.Editor.Fixtures .Patch.InvertFixtureControls
- Programmer.Editor.Fixtures .SetContextAttributeFromId
- Programmer.Editor.Fixtures .SetControlOff
- Programmer.Editor.Fixtures .SetControlProgrammer
- Programmer.Editor.Fixtures .SetControlValueById
- Programmer.Editor.Fixtures .SetSelectedControlsOff
- Programmer.Editor.Fixtures .SetSelectedControlsOn
- Programmer.Editor.Selectio n.GetSelectedHandles
- Programmer.RefireProgram mer
- Programmer.SetBlindMode

S

- Selection.Context.Global.Cl earPatternSelect
- Selection.Context.Program mer.SelectFixture
- SetCurrentMacroFromUserN umber
- SetList.FireTrack
- SetList.NextTrack
- SetList.PreviousTrack
- SimpleMath
- System.LockConsole

T

- Timecode.Context.Pause
- Timecode.Context.Play
- Timecode.MakeTimecodeTi me
- Timecode.ParseFrameRate

- [Timecode.SetEnabled](#)
- [Timecode.TimecodeOne.Pause](#)
- [Timecode.TimecodeOne.Play](#)
- [Timecode.TimecodeOne.Reset](#)
- [Timecode.TimecodeOne.SetSource](#)
- [Timecode.TimecodeOne.SetStartTime](#)
- [Timelines.ImportMarkersFromString](#)
- [Titan.Shutdown](#)
- [Triggers.AddMidiTrigger](#)
- [Triggers.SelectMappingByName](#)
- [Triggers.SetPendingTargetAction](#)
- [Triggers.SetPendingTargetHandle](#)
- [Triggers.SetPendingTargetHardware](#)
- [Triggers.ToggleMappingEnable](#)
- [Triggers.ToggleMappingEnabledByHandle\(\)](#)

U

- [UserMacros.Export](#)
- [UserMacros.RecallMacroById](#)

V

- [Visualiser.Capture.UpdatePosition](#)

W

- [Windows.Scrolling.Vertical.Scroll](#)
- [Windows.SetWindowProperty.Height](#)
- [Windows.SetWindowProperty.Width](#)
- [Windows.SetWindowProperty.X](#)
- [Windows.SetWindowProperty.Y](#)
- [Workspace.Record](#)

[active](#) [artnet](#) [attribute](#) [blind](#) [bpm](#) [busking](#) [capture](#) [change](#) [chase](#) [clear](#) [colour](#) [connect](#) [create](#) [cue](#) [cuelist](#) [delete](#) [direction](#) [disable](#) [enable](#) [fade-in](#) [fan](#) [fire](#) [fixtures](#) [flash](#) [go](#) [group](#) [handle](#) [legend](#) [macro](#) [master](#) [midi](#) [overlap](#) [page](#) [palette](#) [playback](#) [priority](#) [programmer](#) [release](#) [select](#) [selected](#) [set](#) [settings](#) [shape](#) [speed](#) [tap](#) [time](#) [timecode](#) [toggle](#) [track](#) [trigger](#)

further readings

- [Introduction to macros](#)
- [Console and simulator](#) - how actions on the consoles are described
- [Recorded vs. coded macros](#) - both kinds: Country, AND Western
- [Macro file format](#) - what to observe when creating macro files
- [Macro Folders](#) - where exactly are the macro files stored
- [Deploying macros](#) - how to import a macro file into Titan
- [XML format](#) - a veeery basic introduction into the format macro files are written in
- [The Syntax of Functions](#) - understanding how functions are described in general
- [Control Structures](#) - conditions and other means to control the flow
- [Action and Menus](#) - when a menu needs to be toggled in addition to the action
- [Step Pause](#) - a little delay might sometimes be helpful
- [Active Binding](#) - highlighting a macro handle as active
- [Namespaces](#) - a way to keep order of the functions, properties and other stuff
- [Datatypes](#) - numbers, words, yes & no: the various types of values
- [Properties list](#) - the affected system variables of Titan
- [Function list](#) - the functions mentioned in this wiki
- [Examples list](#) - all the contributed macros. And where is yours?

2017/10/13 15:12 · icke_siegen

From:
<https://www.avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:
https://www.avosupport.de/wiki/macros/function_list?rev=1511887059

Last update: **2017/11/28 16:37**

