

Titan Property

Expert.RecordPlayback.RecordMode.ModeOnEnter

API	./.
description	can be used to store th current RecordMode
Namespaces	Expert.RecordPlayback.RecordMode
type	Enum (as it is a RecordMode)

example

```
<step>ActionScript.SetProperty("Expert.RecordPlayback.RecordMode.ModeOnEnter", Playbacks.RecordMode)</step>
<step>ActionScript.SetProperty.Enum("Playbacks.RecordMode", "RecordCueModeProgrammer")</step>
<step>Playbacks.StoreCue("Macros", 1000, false)</step>
<step>Programmer.Editor.Clear(255, true, false, 0)</step>
<step>ActionScript.SetProperty("Playbacks.RecordMode", Expert.RecordPlayback.RecordMode.ModeOnEnter)</step>
```

The current RecordMode ist stored. Then some actions are performed (the RecordMode set to something, etc.), and then the RecordMode is restored from this property.

used in

- [Programmer - Park/Restore/Swop](#)

From:
<https://www.avosupport.de/wiki/> - AVOSUPPORT

Permanent link:
<https://www.avosupport.de/wiki/macros/property/expert.recordplayback.recordmode.modeonenter?rev=1537117340>

Last update: 2018/09/16 17:02

