

Titan Property

# Handles.SourceHandle

<b>API</b>	<a href="http://api.avolites.com/10.1/Handles.SourceHandle.html">http://api.avolites.com/10.1/Handles.SourceHandle.html</a>
<b>description</b>	Gets or sets the source handle used for handle operations.
<b>Namespaces</b>	<a href="#">Handles</a>
<b>type</b>	<a href="#">Handle</a>

## example

```
ActionScript.SetProperty("Handles.SourceHandle",  
Playbacks.Editor.SelectedPlayback)
```

Temporarily stores the currently selected playback into 'Handles.SourceHandle' from where it can be retrieved later.

## used in

- [Chase - Double speed](#)
- [Chase - Halve speed](#)
- [Move \(Copy\) Handle](#)
- [PaletteChaseChanger \(V3\)](#)
- [Playback - Set fade-in time](#)
- [Playback - Set fade-in time - modular](#)
- [Playback - Set fade mode](#)
- [Playback - Set fade-out time](#)
- [Playback - Set FX Multiplier](#)
- [Legend - Set a playback's legend](#)
- [Playback - Set release time](#)
- [Handles.SetLegend](#)
- [Handles.SetLockState](#)
- [Handles.SetSourceHandle](#)
- [Handles.SetSourceHandleFromHandle](#)
- [Handles.SetSourceHandleRange](#)
- [Handles.SourceHandle](#)
- [Properties list](#)

From: <https://www.avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link: <https://www.avosupport.de/wiki/macros/property/handles.sourcehandle?rev=1529937033>

Last update: **2018/06/25 14:30**

