

Web API request

# Playbacks/KillPlayback

Kills a playback specified by its handle (user number, titan id, location).

<b>API</b>	<a href="https://api.avolites.com/12.0/Playbacks.KillPlayback.html">https://api.avolites.com/12.0/Playbacks.KillPlayback.html</a>
<b>namespace</b>	Playbacks
<b>usage</b>	<a href="http://[ip]:4430/titan/script/2/Playbacks/KillPlayback?handle={handle}">http://[ip]:4430/titan/script/2/Playbacks/KillPlayback?handle={handle}</a>
<b>example</b>	<a href="http://localhost:4430/titan/script/2/Playbacks/KillPlayback?handle_userNumber=2">http://localhost:4430/titan/script/2/Playbacks/KillPlayback?handle_userNumber=2</a> (link opens in new tab)
<b>action</b>	kills the specified handle
<b>parameter</b>	handle= <a href="#">Handle</a>
<b>returns</b>	nothing if successfull various errors messages if not successfull (see <a href="#">errors</a> )
<b>remarks</b>	

## Used In

- [Web API Demo](#)
- [Handle](#)
- [Web-API requests](#)

From:  
<https://www.avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:  
[https://www.avosupport.de/wiki/webapi/requests/playbacks\\_killplayback?rev=1587310513](https://www.avosupport.de/wiki/webapi/requests/playbacks_killplayback?rev=1587310513)

Last update: **2020/04/19 15:35**

