

Example

# Change Titan Mobile Wing Page

<b>by:</b>	Sebastian Beutel, Oct. 2018
<b>published:</b>	Oct 2018
<b>description:</b>	Macros to change page of the Titan Mobile Faderwing
<b>remarks:</b>	useful with the simulator as this lacks the ability to change the pages in the Mobile Wing window.

[mobile](#), [wing](#), [change](#), [page](#)

## functions

- [Handles.MobileWingAPlaybacks.ChangePage](#)
- [Handles.MobileWingAPlaybacks.PreviousPage](#)
- [Handles.MobileWingAPlaybacks.NextPage](#)
- [Handles.MobileWingAExecutor.ChangePage](#)
- [handles.MobileWingAExecutor.previouspage](#)
- [handles.MobileWingAExecutor.nextpage](#)

## Code

[ChangeMobileWingPage.xml](#)

```
<?xml version="1.0" encoding="utf-8"?>
<avolites.macros>
  <macro id="Avolites.MobileWing.Playbacks.ChangeToPage1" name="Mobile
Wing Playbacks Page 1">
    <description>Changes the Mobile Wing playbacks page to page
1.</description>
    <sequence>
      <step>Handles.MobileWingAPlaybacks.ChangePage(0)</step>
    </sequence>
  </macro>

  <macro id="Avolites.MobileWing.Playbacks.ChangeToPage2" name="Mobile
Wing Playbacks Page 2">
    <description>Changes the Mobile Wing playbacks page to page
2.</description>
    <sequence>
      <step>Handles.MobileWingAPlaybacks.ChangePage(1)</step>
    </sequence>
  </macro>

  <macro id="Avolites.MobileWing.Playbacks.ChangeToPage3" name="Mobile
Wing Playbacks Page 3">
    <description>Changes the Mobile Wing playbacks page to page
```

```
3.</description>
  <sequence>
    <step>Handles.MobileWingAPlaybacks.ChangePage(2)</step>
  </sequence>
</macro>

<macro id="Avolites.MobileWing.Playbacks.ChangeToPage4" name="Mobile
Wing Playbacks Page 4">
  <description>Changes the Mobile Wing playbacks page to page
4.</description>
  <sequence>
    <step>Handles.MobileWingAPlaybacks.ChangePage(3)</step>
  </sequence>
</macro>

<macro id="Avolites.MobileWing.Playbacks.PreviousPage" name="Mobile
Wing Playbacks Page -1">
  <description>Changes the Mobile Wing playbacks to the previous
page.</description>
  <sequence>
    <step>Handles.MobileWingAPlaybacks.PreviousPage()</step>
  </sequence>
</macro>

<macro id="Avolites.MobileWing.Playbacks.NextPage" name="Mobile Wing
Playbacks Page +1">
  <description>Changes the Mobile Wing playbacks to the next
page.</description>
  <sequence>
    <step>Handles.MobileWingAPlaybacks.NextPage()</step>
  </sequence>
</macro>

<macro id="Avolites.MobileWing.Executors.ChangeToPage1" name="Mobile
Wing Executors Page 1">
  <description>Changes the Mobile Wing Executors page to page
1.</description>
  <sequence>
    <step>Handles.MobileWingAExecutor.ChangePage(0)</step>
  </sequence>
</macro>

<macro id="Avolites.MobileWing.Executors.ChangeToPage2" name="Mobile
Wing Executors Page 2">
  <description>Changes the Mobile Wing Executors page to page
2.</description>
  <sequence>
    <step>Handles.MobileWingAExecutor.ChangePage(1)</step>
  </sequence>
```

```
</macro>

<macro id="Avolites.MobileWing.Executors.ChangeToPage3" name="Mobile
Wing Executors Page 3">
  <description>Changes the Mobile Wing Executors page to page
3.</description>
  <sequence>
    <step>Handles.MobileWingAExecutor.ChangePage(2)</step>
  </sequence>
</macro>

<macro id="Avolites.MobileWing.Executors.ChangeToPage4" name="Mobile
Wing Executors Page 4">
  <description>Changes the Mobile Wing Executors page to page
4.</description>
  <sequence>
    <step>Handles.MobileWingAExecutor.ChangePage(3)</step>
  </sequence>
</macro>

<macro id="Avolites.MobileWing.Executors.PreviousPage" name="Mobile
Wing Executors Page -1">
  <description>Changes the Mobile Wing Executors to the previous
page.</description>
  <sequence>
    <step>Handles.MobileWingAExecutor.PreviousPage()</step>
  </sequence>
</macro>

<macro id="Avolites.MobileWing.Executors.NextPage" name="Mobile Wing
Executors Page +1">
  <description>Changes the Mobile Wing Executors to the next
page.</description>
  <sequence>
    <step>Handles.MobileWingAExecutor.NextPage()</step>
  </sequence>
</macro>

</avolites.macros>
```

## Explanation

This explains the functional steps within the sequence. For all the other XML details please refer to [Formats and syntax](#)

Each macro simply calls a specific `ChangePage()` function with the index of the designated page.

## How to use it

1. [make this macro available](#)
2. If you copy this macro to a hardware macro button this will vanish when changing its page. Consider setting its properties to Handle Paging Locked in playback options.

From:  
<https://www.avosupport.de/wiki/> - **AVOSUPPORT**

Permanent link:  
<https://www.avosupport.de/wiki/macros/example/changemobilewingpage?rev=1540997222>

Last update: **2018/10/31 14:47**

